

Overall: 122"W x 5"D x 27 1/2"H

MATERIALS:

- HP-Laminate PB-5/8"
- 0.018 Edge Tape
- Plywood 1/2" Wall Cleat
- Frosted Acrylic Cover
- LED Strip 2700K-3000K
- 2/AC 2/USB W/Switch Plug On Left Panel - 2/AC - 2/USB - Plug On Right Panel

COMMENTS:

- Overall: 122"W x 5"D x 27 1/2"H
- Color: Wilsonart D504-60 Fossil Shale Headboard Fabric - Per Scheme
- Note:Dimensional Tolerance +/- 1/16"

TITLE: AHB 8240XX 28UH622 - 8250CRS - Uph King HB + 22W End Pnl

REVISION DATE:


NOTE: DESIGN AND DRAWINGS ARE PROPERTY OF DICKSON FURNITURE MANUFACTURERS LLC AND MAY NOT BE DUPLICATED OR REPRODUCED WITHOUT THE EXPRESS WRITTEN CONSENT OF DICKSON FURNITURE MANUFACTURERS LLC

W End PnI DICKSON


FURNITURE MANUFACTURERS

REV SCALE: 1:13

OIMENSIONS SHEET 1 OF 4



DETAIL B SCALE 1:5



FRONT VIEW

SECTION A-A



- X-210 AHB 8240XX 28UH622 - 8250CRS - Uph King HB + 22W End Pnl -




*RECOMMENDATIONS:


- Read instructions before assembling
- Keep area clean
- Do not drag the parts
- Do not forget to wear PPE

PARTS:

*PERSONAL PROTECTION **EQUIPMENT (PPE)**

- Hand Protection
- Eye Protection
- Waist Support belt





Right Panel

*Tools:









Water level

Measuring Tape Pencil

Drill

*Hardware:






STEP #1


TION INSTRUCTIONS

- X-210 AHB 8240XX 28UH622 - 8250CRS - Uph King HB + 22W End Pnl -


Note: Assembly can be done with 2 people.




Unroll the power plug wires from the back on the nightstands (2) (3)and pass through the headboard (1).




Center platform bed on Headboard wall and mount Center French Wall Cleats (5) on Wall (4) at the center of the Bed Platform. Screws go into studs.



Mount Left French Wall Cleats(6) on Wall (4), on the left side of Center French Wall Cleats (5). Screws go into studs.




Mount Right French Wall Cleats (7) on Wall (4) on the right side of Center French Wall Cleats (5). Screws go into studs.




Lift Left Panel 8 higher than Center French Wall Cleats 6 and slowly slide it down until it holds on Wall (4)

6




Lift Right Panel (9) higher than Center French Wall Cleats (6) and slowly slide it down until it holds on Wall (4)



Lift Headboard (10) higher than Center French Wall Cleats (6) and slowly slide it down until it holds on Wall (4). Power Cords should be routed through opening at bottom of Headboard.

8



Completely assembled. Note: Led lights and no power strip provided, customer need to supply. Upholster panel is options include instruction accordingly.

